

# iMAGE

SHOWERS



i9

SHOWER ENCLOSURES  
Luxury Collection



CRAFTED IN KILKENNY  
Since 1989

# IMAGE

SHOWERS

19

[imageshowers.com](http://imageshowers.com)

## PROUDLY CRAFTED IN KILKENNY SINCE 1989



Founded in 1989, Image Showers are specialist shower door manufacturers based in the Medieval City of Kilkenny. Our production techniques have evolved but it's the same exacting standards applied to each product range today as when the business began. Image products are crafted by an expert team that boast years of hands-on experience in the showering industry. The people on the factory floor make our products with passion and precision. They are a key part of the research and innovation process- our product is not just well designed, but built by expert hands too.

### FROM CONCEPT TO COMPLETION, WE'RE THERE

Our end-to-end service is unique within the industry. We develop shower door solutions from scratch, precisely to customer requirements. We build each product from the finest raw materials at our production facility in Kilkenny. Our trusted fit-out team is on hand to manage a smooth installation process. Our technical engineers are available to service and maintain our shower doors for the duration of the product lifespan. Each Image product comes with a lifetime guarantee and we have a spare parts workshop, giving you peace of mind with your Image shower door.



IMAGE



LIFETIME  
GUARANTEE

SHOWERS

### GUARANTEED FOR LIFE


At Image, every product detail and feature is designed around quality, performance and reliability. Our insistence on manufacturing excellence gives us the confidence to offer a lifetime guarantee across our product ranges.\*

\*See T&C at back of brochure

# CONTENTS

i9 LUXURY SHOWER ENCLOSURE INTRODUCTION	2
i9 INNOVATION HIGHLIGHTS	4
i9 PRODUCT COLLECTION	6
iWETROOM COLLECTION	27
iSTONE SLATE TRAY COLLECTION	38
STANDARD ACRYLIC SHOWER TRAY COLLECTION	44
SLIP RESISTANT ACRYLIC SHOWER TRAY COLLECTION	47
SHOWER TRAY ACCESSORIES	49
I-DRAIN® COLLECTION	51
i9 SHOWER ENCLOSURES TECHNICAL SPECIFICATIONS	54
i8, i9, i10 WETROOM COLLECTION TECHNICAL SPECIFICATIONS	62
iIMAGE BESPOKE	66
INFORMATION & MAINTENANCE	68

LET US CREATE YOUR DREAM  
SHOWER SPACE



[imageshowers.com](http://imageshowers.com)

i9

## LUXURY SHOWER ENCLOSURE COLLECTION

### BRING COLOUR TO YOUR DREAM SHOWER ZONE

The i9 shower door series combines sleek design with functionality, making it an excellent choice for your bathroom. Its design is characterized by crisp, clean lines and premium materials that not only elevate its visual appeal but also ensure long-lasting durability. Its star feature is OPTIWHITE Glass which has a low iron content, giving it a crystal-clear look.

Standing tall at 2 metres, each door is constructed from 8mm toughened safety glass with an iShield hydrophobic coating, which reduces the build up of grime and limescale. Full length magnetic seals guarantees a flawless close action. Designed for ease of maintenance, our i9 sliding doors also feature quick-release rollers.

### SIX DYNAMIC COLOUR OPTIONS

Colour choice is at the heart of the new i9 shower door collection. With a dynamic palette of 6 colour finish options, you can effortlessly infuse your bathroom with personality and style. Whether you prefer a contemporary, streamlined style or a timeless, classic aesthetic, the i9 collection lets you design your perfect shower retreat.

■ Chrome	■ Black
■ Brushed Brass	■ Brushed Bronze
■ Brushed Nickel	■ Gunmetal

### ANODISED COLOUR FINISH

Each i9 door is crafted from hardwearing Anodised Aluminium. Offering exceptional durability, the Anodising process creates a protective oxide layer on the surface of aluminium to enhance its corrosion resistance and durability. This makes it particularly suitable for the hardworking bathroom environment where moisture and humidity are present.

Colour stability is guaranteed with the Anodising process. The colour is embedded into the metal itself so i9 shower doors maintain a beautifully natural colour finish for the duration of their lifespan.



i9 Inswing Door with Side Panel  
in Brushed Bronze (Left Hand Opening)

# i9 INNOVATION HIGHLIGHTS

## NEW OPTIWHITE GLASS TECHNOLOGY

Unlike standard shower door glass which typically has a green tinge, OPTIWHITE Glass has a lower iron content, giving it a superior, crystal-clear appearance. It is the perfect choice for applications where glass edges are exposed and when colour purity is a priority in the design.

Image Showers are first to market with OPTIWHITE Glass technology, allowing our customers to craft sleek and sophisticated shower sanctuaries. This innovative material brings a refined touch to any bathroom, providing an ultra clear glass finish that enhances both style and functionality.



## iSHIELD PROTECTIVE GLASS COATING



### EASY CLEAN GLASS

iShield protective coating helps prevent the build-up of limescale and soap deposits on the glass surface. This hydrophobic coating ensures that water droplets roll down the glass surface.

### WITHOUT iSHIELD

Without iShield protective coating, soap and water residue can bond to the surface of the glass resulting in a build up of grime.

### WITH iSHIELD

The iShield intelligent surface helps prevent the build up of limescale and soap deposits, ensuring that water droplets simply roll away from the surface.

**GO BESPOKE:** Image Showers are Ireland's leading made-to-measure shower door specialist. If you don't see a suitable door size or specification in our standard i9 range, please contact us and we will custom design the perfect solution to your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



## SEAMLESS CUT THROUGH HANDLE DESIGN

Our unique i9 handle design is sleek and sophisticated. Crafted from chrome plated zinc material that is durable and hardwearing.



## LUXURY COLOUR FINISHES

- Brushed Brass
- Gunmetal
- Brushed Bronze
- Brushed Nickel



## STANDARD COLOUR FINISHES

- Chrome
- Black

## QUICK RELEASE ROLLERS



High quality double wheel rollers with stainless steel ball bearings ensure each sliding door glides along smoothly. The quick release design allows the homeowner to easily clean the bottom wheel track.

## MAGNETIC SEALS



The cushioned magnetic seal design ensures a firm door closure and guaranteed water retention. The anodised metal seal composition does not discolour or degenerate over time.



i9 Hinge & Inline Door  
in Gunmetal (Right Hand Opening)

For product size / colour codes and  
technical specifications see page 54 →

## i9 HINGE & INLINE DOOR RECESS / ALCOVE INSTALLATION



Gunmetal Signature Handle

### KEY FEATURES

↑ 2 metres  
high

↙ 8 mm toughened  
safety glass

↔ 35 mm  
adjustment

🛡️ iShield easy  
clean glass

### OPENING OPTIONS

**Handed Product:** choose  
left or right hand opening



### INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Minimalist Cantilever Brace Bar Design:** robustly constructed to stand the test of time
- **Seamless Cut-through Handle Design**

### SIZE OPTIONS

900mm | 1000mm | 1100mm | 1200mm | 1400mm |  
1500mm | 1600mm | 1700mm

### COLOUR OPTIONS

- |   |   |
|---|---|
| <input type="checkbox"/> Chrome         | <input type="checkbox"/> Black          |
| <input type="checkbox"/> Brushed Brass  | <input type="checkbox"/> Brushed Bronze |
| <input type="checkbox"/> Brushed Nickel | <input type="checkbox"/> Gunmetal       |


### PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't  
suit, we can create a made-to-measure solution  
precisely for your requirements. Contact us on:  
[bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



# i9 HINGE & INLINE DOOR with SIDE PANEL




Brushed Brass Signature Handle

## KEY FEATURES




2 metres high



8 mm toughened safety glass




35 mm adjustment




iShield easy clean glass

## OPENING OPTIONS

**Handed Product:** choose left or right hand opening



Left hand opening door



Right hand opening door

## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Minimalist Cantilever Brace Bar Design:** robustly constructed to stand the test of time
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

**Hinge & Inline Door:** 900mm | 1000mm | 1100mm | 1200mm | 1400mm | 1500mm | 1600mm | 1700mm

**Dedicated Side Panel:** 700mm | 760mm | 800mm | 900mm | 1000mm

## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

## PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Hinge & Inline Door with Side Panel in Brushed Brass (Left Hand Opening)

For product size / colour codes and technical specifications see page 56 →

# i9 ONE DOOR HINGED QUADRANT

## KEY FEATURES

 **2** metres high


 **8** mm toughened safety glass

 **20** mm wall profile adjustment

 iShield easy clean glass

## OPENING OPTIONS

**Handed Product:** choose left or right hand opening



## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Minimalist Cantilever Brace Bar Design:** robustly constructed to stand the test of time
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

800mm | 900mm | 1000mm


## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

## PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Hinged Quadrant Door in Black (Right Hand Opening)

For product size / colour codes and technical specifications see page 58





i9 Offset Hinged Quadrant Door in Brushed Bronze (Right Hand Opening)

For product size / colour codes and technical specifications see page 58 →

## i9 ONE DOOR OFFSET HINGED QUADRANT



Brushed Bronze Signature Handle

### KEY FEATURES

↑ 2 metres high


↙ 8 mm toughened safety glass

↔ 20 mm wall profile adjustment

🛡️ iShield easy clean glass

### OPENING OPTIONS

**Handed Product:** choose left or right hand opening



### INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Minimalist Cantilever Brace Bar Design:** robustly constructed to stand the test of time
- **Seamless Cut-through Handle Design**

### SIZE OPTIONS

800x900mm | 800x1000mm | 800x1200mm | 900x1200mm

### COLOUR OPTIONS

- |   |   |
|---|---|
| <input type="checkbox"/> Chrome         | <input type="checkbox"/> Black          |
| <input type="checkbox"/> Brushed Brass  | <input type="checkbox"/> Brushed Bronze |
| <input type="checkbox"/> Brushed Nickel | <input type="checkbox"/> Gunmetal       |

### PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



# i9 TWO DOOR SLIDING QUADRANT



Brushed Nickel Signature Handle

## KEY FEATURES

↑ 2 metres high


↖ 8 mm toughened safety glass

↔ 20 mm wall profile adjustment

🛡️ iShield easy clean glass

## OPENING OPTIONS

Sliding Quadrant: central door opening design



## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Quick Release Double Rollers:** for easy cleaning
- **Magnetic Seal Closure:** guaranteed water retention
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

800mm | 900mm | 1000mm

## COLOUR OPTIONS

- |  |   |
|--|---|
| <span style="display:inline-block; width:15px; height:15px; background-color:lightgrey; border:1px solid black;"></span> Chrome    | <span style="display:inline-block; width:15px; height:15px; background-color:black; border:1px solid black;"></span> Black            |
| <span style="display:inline-block; width:15px; height:15px; background-color:gold; border:1px solid black;"></span> Brushed Brass  | <span style="display:inline-block; width:15px; height:15px; background-color:darkred; border:1px solid black;"></span> Brushed Bronze |
| <span style="display:inline-block; width:15px; height:15px; background-color:grey; border:1px solid black;"></span> Brushed Nickel | <span style="display:inline-block; width:15px; height:15px; background-color:darkgrey; border:1px solid black;"></span> Gunmetal      |

## PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Two Door Sliding Quadrant in Brushed Nickel

For product size / colour codes and technical specifications see page 58 →

# i9 TWO DOOR OFFSET SLIDING QUADRANT

## KEY FEATURES

2 metres high

8 mm toughened safety glass

20 mm wall profile adjustment

iShield easy clean glass

## OPENING OPTIONS

**Sliding Quadrant:** central door opening – reversible design, can be installed left or right handed



## PEACE OF MIND

- Lifetime Guarantee\*
- Spare Parts Available
- Extension Profiles Available

## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Quick Release Double Rollers:** for easy cleaning
- **Magnetic Seal Closure:** guaranteed water retention
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

800x900mm | 800x1000mm | 800x1100mm | 800x1200mm | 900x1000 | 900x1100mm | 900x1200mm

## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |



Quick Release Roller Design for easy cleaning of bottom wheel track



**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Two Door Offset Sliding Quadrant in Chrome (Right Hand Tray installation)

For product size / colour codes and technical specifications see page 58 →

# i9 SLIDING DOOR RECESS / ALCOVE INSTALLATION



Brushed Brass Signature Handle

## KEY FEATURES



2 metres high



8 mm toughened safety glass



40 mm adjustment



iShield easy clean glass

## OPENING OPTIONS

**Reversible Door:** suitable for left or right hand installation



Left hand opening door



Right hand opening door

## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Quick Release Double Rollers:** easy cleaning
- **Magnetic Seal Closure:** guaranteed water retention
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

1000mm | 1100mm | 1200mm | 1400mm | 1500mm | 1600mm | 1700mm

## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

## PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Sliding Door in Brushed Brass (Left Hand Installation)


For product size / colour codes and technical specifications see page 60 →



i9 Sliding Door with Side Panel  
in Brushed Bronze (Right Hand Opening)

For product size / colour codes and  
technical specifications see page 60 →

## i9 SLIDING DOOR with SIDE PANEL



Brushed Bronze Signature Handle

### KEY FEATURES

↑ ↓ 2 metres  
high

↙ ↘ 8 mm toughened  
safety glass

↔ 40 mm  
adjustment

🛡️ iShield easy  
clean glass

### OPENING OPTIONS

Reversible Door: suitable for  
left or right hand installation



### INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Quick Release Double Rollers:** for easy cleaning
- **Magnetic Seal Closure:** guaranteed water retention
- **Seamless Cut-through Handle Design**

### SIZE OPTIONS

Sliding Door: 1000mm | 1100mm | 1200mm | 1400mm |  
1500mm | 1600mm | 1700mm

Dedicated Side Panel: 700mm | 760mm | 800mm |  
900mm | 1000mm

### COLOUR OPTIONS

- |   |   |
|---|---|
| <input type="checkbox"/> Chrome         | <input type="checkbox"/> Black          |
| <input type="checkbox"/> Brushed Brass  | <input type="checkbox"/> Brushed Bronze |
| <input type="checkbox"/> Brushed Nickel | <input type="checkbox"/> Gunmetal       |

### PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't  
suit, we can create a made-to-measure solution  
precisely for your requirements. Contact us on:  
[bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



# i9 INSWING DOOR RECESS / ALCOVE INSTALLATION



Brushed Nickel Signature Handle

## KEY FEATURES

↑ 2 metres high


↖ 8 mm toughened safety glass

↔ 40 mm adjustment

🛡️ iShield easy clean glass

## OPENING OPTIONS

**Reversible Design:** can be installed left or right handed



## INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Space Saving Design:** protrudes minimally into the room, whilst still giving generous access to the shower zone
- **Seamless Cut-through Handle Design**

## SIZE OPTIONS

800mm | 900mm | 1000mm

## COLOUR OPTIONS

- |  |   |
|--|---|
| <span style="display:inline-block; width:15px; height:15px; background-color:lightgrey; border:1px solid black;"></span> Chrome    | <span style="display:inline-block; width:15px; height:15px; background-color:black; border:1px solid black;"></span> Black            |
| <span style="display:inline-block; width:15px; height:15px; background-color:gold; border:1px solid black;"></span> Brushed Brass  | <span style="display:inline-block; width:15px; height:15px; background-color:darkred; border:1px solid black;"></span> Brushed Bronze |
| <span style="display:inline-block; width:15px; height:15px; background-color:grey; border:1px solid black;"></span> Brushed Nickel | <span style="display:inline-block; width:15px; height:15px; background-color:darkgrey; border:1px solid black;"></span> Gunmetal      |

## PEACE OF MIND

- Lifetime Guarantee\*
- Spare Parts Available
- Extension Profiles Available

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Inswing Door in Brushed Nickel (Right Hand Installation)

For product size / colour codes and technical specifications see page 60 →


## i9 INSWING DOOR with SIDE PANEL

### KEY FEATURES



### OPENING OPTIONS

**Reversible Design:** can be installed left or right handed



### PEACE OF MIND

- Lifetime Guarantee\*
- Spare Parts Available
- Extension Profiles Available

### INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear appearance
- **Magnetic Seal Closure:** firm door close action, with strong water retention properties
- **Space Saving Design:** protrudes minimally into the room, whilst still giving generous access to the shower zone
- **Seamless Cut-through Handle Design**

### SIZE OPTIONS

Inswing Door: 800mm | 900mm | 1000mm

Dedicated Side Panel: 700mm | 760mm | 800mm | 900mm | 1000mm

### COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i9 Inswing Door with Side Panel in Black (Left Hand Installation)

For product size / colour codes and technical specifications see page 60 →

# IMAGE

SHOWERS

imageshowers.com

## iWETROOM COLLECTION

THE iWETROOM COLLECTION BOASTS AN EXTENSIVE SELECTION OF WETROOM GLASS PANEL SIZE AND COLOUR OPTIONS. LET US HELP TO CREATE YOUR PERFECT WALK-IN SHOWER ZONE.

### KEY FEATURES



### A COMPREHENSIVE WETROOM RANGE, AVAILABLE IN 6 DYNAMIC COLOUR OPTIONS

The iWETROOM collection is the perfect blend of style and function for the bathroom. Suitable for wetroom floor or shower tray installation, these elegant glass panels are available in 8mm or 10mm thick glass which features iShield easy clean coating.

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

## LET US CREATE YOUR DREAM SHOWER SPACE



# i10 WETROOM SHOWER SCREEN

## KEY FEATURES

 2 metres high

 10 mm toughened safety glass

 iShield easy clean glass

 reversible design

## INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Chrome Floor U Channel:** bottom U channel protects wetroom glass screen in the busy bathroom environment
- **Adjustable Wall Profiles:** to fit most homes
- **Signature Top Support Bar:** may be cut to size

## SIZE OPTIONS

600mm | 700mm | 800mm | 900mm | 1000mm | 1200mm | 1300mm | 1400mm

## COLOUR OPTIONS

 Chrome

## PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i10 Wetroom Shower Screen in Chrome

For product size / colour codes and technical specifications see page 62 →



## i9 WETROOM SHOWER SCREEN with 300MM HINGED FLIPPER PANEL

### KEY FEATURES

↑ ↓ 2 metres high

↔ 300 mm wide flipper panel

↙ ↘ 8 mm toughened safety glass



Optiwhite Glass – superior colour purity with a crystal clear glass complexion

### INNOVATION HIGHLIGHTS

- **Optiwhite Glass:** low iron glass for a crystal clear look
- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Ultra Frameless Design:** hinged flipper panel rotates 180°
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

### SIZE OPTIONS

Shower Screen: 800mm | 900mm | 1000mm | 1200mm | 1400mm

Hinged Flipper Panel: 300mm

### COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

### PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



For product size / colour codes and technical specifications see page 62 →

i9 Wetroom Screen with Hinged Flipper Panel in Brushed Brass

# i8 WETROOM SHOWER SCREEN

## KEY FEATURES

 2 metres high

 8 mm toughened safety glass

 iShield easy clean glass

 reversible design



Fluted Glass



Frosted Glass

## INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Chrome Floor U Channel:** bottom U channel protects wetroom glass screen in the busy bathroom environment
- **Anodised Colour Finish:** offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear
- **Available in Three Glass Options:** clear, fluted or frosted

## SIZE OPTIONS

600mm | 700mm | 800mm | 900mm | 1000mm | 1100mm | 1200mm | 1400mm

## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

## PEACE OF MIND

- Lifetime Guarantee\*
- Spare Parts Available
- Extension Profiles Available

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374





i8 Wetroom Shower Screen in Black

For product size / colour codes and technical specifications see page 62 →

# i8 WETROOM SHOWER SCREEN with 300MM STANDARD FLIPPER PANEL

## KEY FEATURES

 2 metres high

 8 mm toughened safety glass

 iShield easy clean glass

## PEACE OF MIND

- Lifetime Guarantee\*
- Spare Parts Available
- Extension Profiles Available

## INNOVATION HIGHLIGHTS

- Sturdy Framed design
- iShield Protective Glass Coating: easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- Ultra Frameless Design: hinged flipper panel rotates 180°
- Anodised Colour Finish: offering exceptional durability, the anodizing process creates a tough protective layer that is resistant to corrosion and wear & tear

## SIZE OPTIONS

Shower Screen: 600mm | 700mm | 800mm | 900mm | 1000mm | 1100mm | 1200mm | 1400mm

Framed Flipper Panel: 300mm | 400mm

## COLOUR OPTIONS

- |  |  |
|--|--|
|  Chrome         |  Black          |
|  Brushed Brass  |  Brushed Bronze |
|  Brushed Nickel |  Gunmetal       |

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374



i8 Wetroom Shower Screen with Flipper Panel in Black

For product size / colour codes and technical specifications see page 64 →



Critical Style Wetroom Screen  
in Black

For product size / colour codes and  
technical specifications see page 64 →

## 18 CRITICAL STYLE WETROOM SCREEN

### KEY FEATURES

 2 metres  
high

 8 mm toughened  
safety glass

 iShield easy  
clean glass

### INNOVATION HIGHLIGHTS

- **iShield Protective Glass Coating:** easy clean hydrophobic coating repels grime and limescale build up on the wetroom glass
- **Black Screen Print Design**

### SIZE OPTIONS

Shower Screen: 800mm | 900mm | 1000mm | 1200mm | 1400mm

### COLOUR OPTIONS

 Black

### PEACE OF MIND

- **Lifetime Guarantee\***
- **Spare Parts Available**
- **Extension Profiles Available**

**GO BESPOKE:** If standard size options don't suit, we can create a made-to-measure solution precisely for your requirements. Contact us on: [bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374





## SLATE TRAYS

SLATE TEXTURED FINISH, SLIP RESISTANT SURFACE

### INNOVATION HIGHLIGHTS

- Crafted from High-grade Stone Resin
- Colour Matched Grills
- May Be Fitted On Top or Level With Floor
- Custom Size Cut Available
- Supplied with Premium Tourbillon High-flow Waste
- 5 Year Warranty


### KEY FEATURES




## SLATE TRAY: TOULOUSE BLACK




Code	A	B	C	D
T812REC-TB-LP	1200mm	800mm	410mm	400mm
T912REC-TB-LP	1200mm	900mm	450mm	450mm
T914REC-TB-LP	1400mm	900mm	450mm	450mm
T816REC-TB-LP	1600mm	800mm	410mm	400mm
T916REC-TB-LP	1600mm	900mm	410mm	450mm
T717REC-TB-LP	1700mm	700mm	610mm	350mm
T818REC-TB-LP	1800mm	800mm	610mm	400mm
T918REC-TB-LP	1800mm	900mm	610mm	450mm



## SLATE TRAY: CALEIDO WHITE




Code	A	B	C	D
T812REC-CW-LP	1200mm	800mm	410mm	400mm
T912REC-CW-LP	1200mm	900mm	450mm	450mm
T914REC-CW-LP	1400mm	900mm	450mm	450mm
T816REC-CW-LP	1600mm	800mm	410mm	400mm
T916REC-CW-LP	1600mm	900mm	410mm	450mm
T717REC-CW-LP	1700mm	700mm	610mm	350mm
T818REC-CW-LP	1800mm	800mm	610mm	400mm
T918REC-CW-LP	1800mm	900mm	610mm	450mm



**iStone** SLATE TRAY:  
LEGNO NATURAL




Code	A	B	C	D
T812REC-LN-LP	1200mm	800mm	410mm	400mm
T912REC-LN-LP	1200mm	900mm	450mm	450mm
T914REC-LN-LP	1400mm	900mm	450mm	450mm
T916REC-LN-LP	1600mm	900mm	410mm	450mm
T717REC-LN-LP	1700mm	700mm	610mm	350mm
T918REC-LN-LP	1800mm	900mm	610mm	450mm



**iStone** SLATE TRAY:  
FRAGUA PEARL




Code	A	B	C	D
T912REC-FP-LP	1200mm	900mm	450mm	450mm
T816REC-FP-LP	1600mm	800mm	410mm	400mm
T916REC-FP-LP	1600mm	900mm	410mm	450mm
T918REC-FP-LP	1800mm	900mm	610mm	450mm



**iStone** SLATE TRAY:  
CALEIDO GOLD




Code	A	B	C	D
T812REC-CG-LP	1200mm	800mm	410mm	400mm
T912REC-CG-LP	1200mm	900mm	450mm	450mm
T914REC-CG-LP	1400mm	900mm	450mm	450mm
T816REC-CG-LP	1600mm	800mm	410mm	400mm
T916REC-CG-LP	1600mm	900mm	410mm	450mm
T717REC-CG-LP	1700mm	700mm	610mm	350mm
T818REC-CG-LP	1800mm	800mm	610mm	400mm
T918REC-CG-LP	1800mm	900mm	610mm	450mm



**iStone** SLATE TRAY:  
MOKA




Code	A	B	C	D
T812REC-MK-LP	1200mm	800mm	410mm	400mm
T912REC-MK-LP	1200mm	900mm	450mm	450mm
T914REC-MK-LP	1400mm	900mm	450mm	450mm
T816REC-MK-LP	1600mm	800mm	410mm	400mm
T916REC-MK-LP	1600mm	900mm	410mm	450mm
T717REC-MK-LP	1700mm	700mm	610mm	350mm
T818REC-MK-LP	1800mm	800mm	610mm	400mm
T918REC-MK-LP	1800mm	900mm	610mm	450mm
T900SQ-MK-LP	900mm	900mm	450mm	450mm
T1000SQ-MK-LP	1000mm	1000mm	500mm	500mm
T900Q-MK-LP	900mm	900mm	400mm	400mm




**iStone** SLATE TRAY:  
SQUARE

Black Code	White Code	A	B	C	D
T900SQ-BK-LP	T900SQ-WH-LP	900mm	900mm	450mm	450mm
T1000SQ-BK-LP	T1000SQ-WH-LP	1000mm	1000mm	500mm	500mm




**iStone** SLATE TRAY:  
RECTANGULAR

Black Code	White Code	A	B	C	D
T890REC-BK-LP	T890REC-WH-LP	900mm	800mm	450mm	400mm
T810REC-BK-LP	T810REC-WH-LP	1000mm	800mm	410mm	400mm
T811REC-BK-LP	T811REC-WH-LP	1100mm	800mm	410mm	400mm
T911REC-BK-LP	T911REC-WH-LP	1100mm	900mm	410mm	450mm
T712REC-BK-LP	T712REC-WH-LP	1200mm	700mm	410mm	350mm
T812REC-BK-LP	T812REC-WH-LP	1200mm	800mm	410mm	400mm
T912REC-BK-LP	T912REC-WH-LP	1200mm	900mm	450mm	450mm
T714REC-BK-LP	T714REC-WH-LP	1400mm	700mm	410mm	350mm
T814REC-BK-LP	T814REC-WH-LP	1400mm	800mm	410mm	400mm
T914REC-BK-LP	T914REC-WH-LP	1400mm	900mm	450mm	450mm
T715REC-BK-LP	T715REC-WH-LP	1500mm	700mm	410mm	350mm
T815REC-BK-LP	T815REC-WH-LP	1500mm	800mm	410mm	400mm
T915REC-BK-LP	T915REC-WH-LP	1500mm	900mm	410mm	450mm
T716REC-BK-LP	T716REC-WH-LP	1600mm	700mm	410mm	350mm
T816REC-BK-LP	T816REC-WH-LP	1600mm	800mm	410mm	400mm
T916REC-BK-LP	T916REC-WH-LP	1600mm	900mm	410mm	450mm
T717REC-BK-LP	T717REC-WH-LP	1700mm	700mm	610mm	350mm
T817REC-BK-LP	T817REC-WH-LP	1700mm	800mm	610mm	400mm
T917REC-BK-LP	T917REC-WH-LP	1700mm	900mm	610mm	450mm
T718REC-BK-LP	T718REC-WH-LP	1800mm	700mm	610mm	350mm
T818REC-BK-LP	T818REC-WH-LP	1800mm	800mm	610mm	400mm
T918REC-BK-LP	T918REC-WH-LP	1800mm	900mm	610mm	450mm
T920REC-BK-LP	T920REC-WH-LP	2000mm	900mm	610mm	450mm



**iStone** SLATE TRAY:  
QUADRANT

Black Code	White Code	A	B	C	D
T900Q-BK-LP	T900Q-WH-LP	900mm	900mm	400mm	400mm
T1000Q-BK-LP	T1000Q-WH-LP	1000mm	1000mm	500mm	500mm




**iStone** SLATE TRAY:  
OFFSET QUADRANT


Black Code	White Code	A	B	C	D
T810QL-BK-LP	T810QL-WH-LP	1000mm	800mm	550mm	350mm
T810QR-BK-LP	T810QR-WH-LP	1000mm	800mm	550mm	350mm
T812QL-BK-LP	T812QL-WH-LP	1200mm	800mm	750mm	350mm
T812QR-BK-LP	T812QR-WH-LP	1200mm	800mm	750mm	350mm
T912QL-BK-LP	T912QL-WH-LP	1200mm	900mm	750mm	450mm
T912QR-BK-LP	T912QR-WH-LP	1200mm	900mm	750mm	450mm



Right Hand  
Offset Quadrant



Left Hand  
Offset Quadrant



# iTray STANDARD ACRYLIC SHOWER TRAYS

## INNOVATION HIGHLIGHTS

- **Durable Acrylic Tray Options:** complement all Image shower enclosures and wetroom designs
- **Minimalist, Low Profile Designs**
- **Available in Quadrant, Offset Quadrant, Rectangular and Square Options**

## KEY FEATURES

40 mm depth

90 mm high flow waste



Acrylic Shower Tray: white tray with a smooth surface

## iTray STANDARD ACRYLIC SHOWER TRAY: SQUARE

### TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T700SQ-LP	700mm	700mm	190mm	350mm
T760SQ-LP	760mm	760mm	190mm	380mm
T800SQ-LP	800mm	800mm	190mm	400mm
T900SQ-LP	900mm	900mm	190mm	450mm
T1000SQ-LP	1000mm	1000mm	190mm	500mm
T1100SQ-LP	1100mm	1100mm	190mm	600mm
T1200SQ-LP	1200mm	1200mm <td 190mm	700mm	



## iTray STANDARD ACRYLIC SHOWER TRAY: SQUARE CORNER WASTE

### TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T800SQCW-LP	800mm	800mm	180mm	180mm
T900SQCW-LP	900mm	900mm	180mm	180mm



## iTray STANDARD ACRYLIC SHOWER TRAY: RECTANGULAR

### TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T790REC-LP	900mm	700mm	190mm	450mm
T7690REC-LP	900mm	760mm	190mm	450mm
T890REC-LP	900mm	800mm	190mm	450mm
T710REC-LP	1000mm	700mm	190mm	500mm
T7610REC-LP	1000mm	760mm	190mm	500mm
T810REC-LP	1000mm	800mm	190mm	500mm
T910REC-LP	1000mm	900mm	190mm	500mm
T711REC-LP	1100mm	700mm	190mm	550mm
T7611REC-LP	1100mm	760mm	190mm	550mm
T811REC-LP	1100mm	800mm	190mm	550mm
T911REC-LP	1100mm	900mm	190mm	550mm
T712REC-LP	1200mm	700mm	190mm	600mm
T7612REC-LP	1200mm	760mm	190mm	600mm
T812REC-LP	1200mm	800mm	190mm	600mm
T912REC-LP	1200mm	900mm	190mm	600mm
T913REC-LP	1300mm	900mm	190mm	650mm
T714REC-LP	1400mm	700mm	190mm	700mm
T7614REC-LP	1400mm	760mm	190mm	700mm
T814REC-LP	1400mm	800mm	190mm	700mm
T914REC-LP	1400mm	900mm	190mm	700mm
T715REC-LP	1500mm	700mm	190mm	750mm
T815REC-LP	1500mm	800mm	190mm	750mm
T915REC-LP	1500mm	900mm	190mm	750mm
T816REC-LP	1600mm	800mm	190mm	800mm
T916REC-LP	1600mm	900mm	190mm	800mm
T717REC-LP	1700mm	700mm	190mm	850mm
T7617REC-LP	1700mm	760mm	190mm	850mm
T817REC-LP	1700mm	800mm	190mm	850mm
T917REC-LP	1700mm	900mm	190mm	850mm
T718REC-LP	1800mm	700mm	190mm	850mm
T818REC-LP	1800mm	800mm	190mm	900mm
T918REC-LP	1800mm	900mm	190mm	900mm



**iTray** STANDARD ACRYLIC SHOWER TRAY:  
QUADRANT

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T800Q-LP	800mm	800mm	500mm	500mm
T900Q-LP	900mm	900mm	600mm	600mm
T1000Q-LP	1000mm	1000mm	700mm	700mm



**iTray** STANDARD ACRYLIC SHOWER TRAY:  
OFFSET QUADRANT

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T7690QL-LP	900mm	760mm	510mm	600mm
T7690QR-LP	900mm	760mm	510mm	600mm
T890QL-LP	900mm	800mm	510mm	600mm
T890QR-LP	900mm	800mm	510mm	600mm
T810QL-LP	1000mm	800mm	510mm	700mm
T810QR-LP	1000mm	800mm	510mm	700mm
T811QL-LP	1100mm	800mm	510mm	800mm
T811QR-LP	1100mm	800mm	510mm	800mm
T812QL-LP	1200mm	800mm	510mm	900mm
T812QR-LP	1200mm	800mm	510mm	900mm
T910QL-LP	1000mm	900mm	610mm	700mm
T910QR-LP	1000mm	900mm	610mm	700mm
T911QL-LP	1100mm	900mm	610mm	800mm
T911QR-LP	1100mm	900mm	610mm	800mm
T912QL-LP	1200mm	900mm	610mm	900mm
T912QR-LP	1200mm	900mm	610mm	900mm



**iTray** SLIP RESISTANT ACRYLIC  
SHOWER TRAYS

INNOVATION HIGHLIGHTS

- Features a Slip Resistant Textured Surface

**iTray** SLIP RESISTANT ACRYLIC SHOWER TRAY:  
RECTANGULAR

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T790REC-SR	900mm	700mm	180mm	450mm
T7690REC-SR	900mm	760mm	180mm	450mm
T890REC-SR	900mm	800mm	180mm	450mm
T710REC-SR	1000mm	700mm	180mm	500mm
T810REC-SR	1000mm	800mm	180mm	500mm
T910REC-SR	1000mm	900mm	180mm	500mm
T811REC-SR	1100mm	800mm	180mm	550mm
T712REC-SR	1200mm	700mm	180mm	600mm
T7612REC-SR	1200mm	760mm	180mm	600mm
T812REC-SR	1200mm	800mm	180mm	600mm
T912REC-SR	1200mm	900mm	180mm	600mm
T813REC-SR	1300mm	800mm	180mm	650mm
T714REC-SR	1400mm	700mm	180mm	700mm
T814REC-SR	1400mm	800mm	180mm	700mm
T914REC-SR	1400mm	900mm	180mm	700mm
T815REC-SR	1500mm	800mm	180mm	750mm
T915REC-SR	1500mm	900mm	180mm	750mm
T716REC-SR	1600mm	700mm	180mm	800mm
T816REC-SR	1600mm	800mm	180mm	800mm
T916REC-SR	1600mm	900mm	180mm	800mm
T717REC-SR	1700mm	700mm	180mm	850mm
T7617REC-SR	1700mm	760mm	180mm	850mm
T817REC-SR	1700mm	800mm	180mm	850mm
T917REC-SR	1700mm	900mm	180mm	850mm
T818REC-SR	1800mm	800mm	180mm	900mm


KEY FEATURES

40 mm depth

90 mm high flow waste




Slip Resistant Acrylic Shower Tray: white tray with a slip resistant finish



**iTray** SLIP RESISTANT ACRYLIC SHOWER TRAY:  
SQUARE

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T700SQ-SR	700mm	700mm	180mm	350mm
T760SQ-SR	760mm	760mm	180mm	380mm
T800SQ-SR	800mm	800mm	180mm	400mm
T900SQ-SR	900mm	900mm	180mm	450mm



**iTray** SLIP RESISTANT ACRYLIC SHOWER TRAY:  
QUADRANT

TECHNICAL SPECIFICATIONS


Code	A	B	C	D
T800Q-SR	800mm	800mm	180mm	180mm
T900Q-SR	900mm	900mm	180mm	180mm



**iTray** SLIP RESISTANT ACRYLIC SHOWER TRAY:  
OFFSET QUADRANT

TECHNICAL SPECIFICATIONS

Code	A	B	C	D
T810QL-SR	800mm	1000mm	180mm	500mm
T810QR-SR	800mm	1000mm	180mm	500mm
T812QL-SR	800mm	1200mm	180mm	600mm
T812QR-SR	800mm	1200mm	180mm	600mm
T912QL-SR	900mm	1200mm	180mm	600mm
T912QR-SR	900mm	1200mm	180mm	600mm



TRAY ACCESSORIES

PANEL KIT SYSTEM

TECHNICAL SPECIFICATIONS

Code	Size
Panel Kit-Square/Rectangle	95mm
Panel Kit-Quad/Offset Quad	95mm
Shower Tray Feet	95mm



Quad / Offset Quad



Square / Rectangle

WASTES

TECHNICAL SPECIFICATIONS

Code	Size
W90MM-TB	90mm



90mm Tourbillon Wirquin  
High-flow Waste



I-DRAIN® Square in Chrome

**I-DRAIN®**  
AIO\*



AIO Video




**THE ALL-IN-ONE DESIGN DRAIN**

- **Built-in Height:** 58 mm
- **Flow Capacity:** 31 l/min
- **Two Fixed Lengths:** 950mm or 1150mm
- **Length-adjustable Grating:** 33 mm wide
- **Can Be Shortened:** for a wall-to-wall effect (cutting disk included in box)
- **Optional Extensions:** to extend the grating
- **Siphon can rotate 360°:** allows for connection in any direction
- **Horizontal and Vertical Connection Option**
- **Stainless Steel Grating:** standard in box

I-DRAIN® AIO is standard supplied with a stainless steel grating\* (standard in box). The drain is also compatible with a matt black decorative profile or a profile with a Yellow Gold PVD coating\*\*.

**TECHNICAL SPECIFICATIONS**

Code	Size	Colour
IDSS950A	950mm	Chrome
IDSS950A-GD	950mm	Yellow Gold
IDSS950A-BK	950mm	Matt Black
IDSS950A-GM	950mm	Gun Metal
IDSS950A-CP	950mm	Copper
iDSS1150A	1150mm	Chrome
iDSS1150A-GD	1150mm	Yellow Gold
iDSS110A-BK	1150mm	Black



I-DRAIN® AIO in Yellow Gold



I-DRAIN® AIO in Matt Black

\*All-in-one package. Stainless steel grating included in box.  
\*\*Optional

**I-DRAIN®**  
I-DRAIN®  
SQUARE\*

Built-in height: 54 mm. | Flow capacity: 24 l/min | 150x150 mm | Drain body: deep-drawn stainless steel. | No welding joints, no risk of leaks. | Reversible stainless steel grating\* (standard in box).



**TECHNICAL SPECIFICATIONS**

Code	Size	Colour
IDSS150SQ	950mm	Chrome

\*Reversible stainless steel grating included in box



**I-DRAIN®**  
I-DRAIN® LINEAR  
STAINLESS STEEL\*

Ultra low height of 54 mm. Also available in 72 mm. | 1 or 2 siphons | Flow capacity: 26.4 l/min. or 31.8 l/min | Drain body: deep-drawn stainless steel or ABS | Pre-glued waterproofing membrane with a 25-year guaranteed watertightness. | Reversible stainless steel grating\* (standard in box).



**TECHNICAL SPECIFICATIONS**

Code	Size
iDSS600	600mm
iDSS700	700mm
iDSS800	800mm
iDSS900	900mm
iDSS1000	1000mm
iDSS1100	1100mm
iDSS1200	1200mm

\*Reversible stainless steel grating included in box

**I-DRAIN®**  
I-DRAIN® LINEAR  
ABS\*

Ultra low height of 54 mm. | Flow capacity: 26.4 l/min. | Drain body: ABS | Pre-glued waterproofing membrane with a 25-year guaranteed watertightness. | Reversible stainless steel grating\* (standard in box).



**TECHNICAL SPECIFICATIONS**

Code	Size
iDABS600	600mm
iDABS700	700mm
iDABS800	800mm
iDABS900	900mm
iDABS1000	1000mm
iDABS1200	1200mm

\*Reversible stainless steel grating included in box



\*The Linear and ABS drains are standard supplied with a stainless steel reversible grating (standard in box).



Matt Black (optional)

**MATT BLACK GRATING\***

The drains are compatible with a matt black decorative profile (optional).

**TECHNICAL SPECIFICATIONS**

Code	Size
iDGR600BK	Linear 600mm
iDGR700BK	Linear 700mm
iDGR800BK	Linear 800mm
iDGR900BK	Linear 900mm
iDGR1000BK	Linear 1000mm
iDGR1200BK	Linear 1200mm

\*iDrains must be purchased separately

**iDrain connector:**  
additional connections available for iDrain extension.

Code
MATT
POLISHED STRAIGHT
TILE STRAIGHT


# i9 SHOWER ENCLOSURES

## TECHNICAL SPECIFICATION & PRODUCT CODES

↑ 2 meters high  
↙ 8 mm toughened safety glass

### i9 HINGE & INLINE DOOR (suits recess / alcove installation)

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
900mm Hinge & Inline Door – Left Hand	855-890mm	600mm	i9LSH900CL	i9LBKH900CL	i9LGMH900CL	i9LBBH900CL	i9LBNH900CL	i9LBZH900CL
900mm Hinge & Inline Door – Right Hand	855-890mm	600mm	i9LSH900CR	i9LBKH900CR	i9LGMH900CR	i9LBBH900CR	i9LBNH900CR	i9LBZH900CR
1000mm Hinge & Inline Door – Left Hand	955-990mm	600mm	i9LSH1000CL	i9LBKH1000CL	i9LGMH1000CL	i9LBBH1000CL	i9LBNH1000CL	i9LBZH1000CL
1000mm Hinge & Inline Door – Right Hand	955-990mm	600mm	i9LSH1000CR	i9LBKH1000CR	i9LGMH1000CR	i9LBBH1000CR	i9LBNH1000CR	i9LBZH1000CR
1100mm Hinge & Inline Door – Left Hand	1055-1090mm	600mm	i9LSH1100CL	i9LBKH1100CL	i9LGMH1100CL	i9LBBH1100CL	i9LBNH1100CL	i9LBZH1100CL
1100mm Hinge & Inline Door – Right Hand	1055-1090mm	600mm	i9LSH1100CR	i9LBKH1100CR	i9LGMH1100CR	i9LBBH1100CR	i9LBNH1100CR	i9LBZH1100CR
1200mm Hinge & Inline Door – Left Hand	1155-1190mm	700mm	i9LSH1200CL	i9LBKH1200CL	i9LGMH1200CL	i9LBBH1200CL	i9LBNH1200CL	i9LBZH1200CL
1200mm Hinge & Inline Door – Right Hand	1155-1190mm	700mm	i9LSH1200CR	i9LBKH1200CR	i9LGMH1200CR	i9LBBH1200CR	i9LBNH1200CR	i9LBZH1200CR
1400mm Hinge & Inline Door – Left Hand	1355-1390mm	700mm	i9LSH1400CL	i9LBKH1400CL	i9LGMH1400CL	i9LBBH1400CL	i9LBNH1400CL	i9LBZH1400CL
1400mm Hinge & Inline Door – Right Hand	1355-1390mm	700mm	i9LSH1400CR	i9LBKH1400CR	i9LGMH1400CR	i9LBBH1400CR	i9LBNH1400CR	i9LBZH1400CR
1500mm Hinge & Inline Door – Left Hand	1455-1490mm	600mm	i9LSH1500CL	i9LBKH1500CL	i9LGMH1500CL	i9LBBH1500CL	i9LBNH1500CL	i9LBZH1500CL
1500mm Hinge & Inline Door – Right Hand	1455-1490mm	600mm	i9LSH1500CR	i9LBKH1500CR	i9LGMH1500CR	i9LBBH1500CR	i9LBNH1500CR	i9LBZH1500CR
1600mm Hinge & Inline Door – Left Hand	1555-1590mm	700mm	i9LSH1600CL	i9LBKH1600CL	i9LGMH1600CL	i9LBBH1600CL	i9LBNH1600CL	i9LBZH1600CL
1600mm Hinge & Inline Door – Right Hand	1555-1590mm	700mm	i9LSH1600CR	i9LBKH1600CR	i9LGMH1600CR	i9LBBH1600CR	i9LBNH1600CR	i9LBZH1600CR
1700mm Hinge & Inline Door – Left Hand	1655-1690mm	700mm	i9LSH1700CL	i9LBKH1700CL	i9LGMH1700CL	i9LBBH1700CL	i9LBNH1700CL	i9LBZH1700CL
1700mm Hinge & Inline Door – Right Hand	1655-1690mm	700mm	i9LSH1700CR	i9LBKH1700CR	i9LGMH1700CR	i9LBBH1700CR	i9LBNH1700CR	i9LBZH1700CR



**i9 HINGE & INLINE DOOR for installation with DEDICATED SIDE PANEL**

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
900mm Hinge & Inline Door – Left Hand	855-890mm	600mm	i9LSH900CL-SP	i9LBKH900CL-SP	i9LGMH900CL-SP	i9LBBH900CL-SP	i9LBNH900CL-SP	i9LBZH900CL-SP
900mm Hinge & Inline Door – Right Hand	855-890mm	600mm	i9LSH900CR-SP	i9LBKH900CR-SP	i9LGMH900CR-SP	i9LBBH900CR-SP	i9LBNH900CR-SP	i9LBZH900CR-SP
1000mm Hinge & Inline Door – Left Hand	955-990mm	600mm	i9LSH1000CL-SP	i9LBKH1000CL-SP	i9LGMH1000CL-SP	i9LBBH1000CL-SP	i9LBNH1000CL-SP	i9LBZH1000CL-SP
1000mm Hinge & Inline Door – Right Hand	955-990mm	600mm	i9LSH1000CR-SP	i9LBKH1000CR-SP	i9LGMH1000CR-SP	i9LBBH1000CR-SP	i9LBNH1000CR-SP	i9LBZH1000CR-SP
1100mm Hinge & Inline Door – Left Hand	1055-1090mm	600mm	i9LSH1100CL-SP	i9LBKH1100CL-SP	i9LGMH1100CL-SP	i9LBBH1100CL-SP	i9LBNH1100CL-SP	i9LBZH1100CL-SP
1100mm Hinge & Inline Door – Right Hand	1055-1090mm	600mm	i9LSH1100CR-SP	i9LBKH1100CR-SP	i9LGMH1100CR-SP	i9LBBH1100CR-SP	i9LBNH1100CR-SP	i9LBZH1100CR-SP
1200mm Hinge & Inline Door – Left Hand	1155-1190mm	700mm	i9LSH1200CL-SP	i9LBKH1200CL-SP	i9LGMH1200CL-SP	i9LBBH1200CL-SP	i9LBNH1200CL-SP	i9LBZH1200CL-SP
1200mm Hinge & Inline Door – Right Hand	1155-1190mm	700mm	i9LSH1200CR-SP	i9LBKH1200CR-SP	i9LGMH1200CR-SP	i9LBBH1200CR-SP	i9LBNH1200CR-SP	i9LBZH1200CR-SP
1400mm Hinge & Inline Door – Left Hand	1355-1390mm	700mm	i9LSH1400CL-SP	i9LBKH1400CL-SP	i9LGMH1400CL-SP	i9LBBH1400CL-SP	i9LBNH1400CL-SP	i9LBZH1400CL-SP
1400mm Hinge & Inline Door – Right Hand	1355-1390mm	700mm	i9LSH1400CR-SP	i9LBKH1400CR-SP	i9LGMH1400CR-SP	i9LBBH1400CR-SP	i9LBNH1400CR-SP	i9LBZH1400CR-SP
1500mm Hinge & Inline Door – Left Hand	1455-1490mm	600mm	i9LSH1500CL-SP	i9LBKH1500CL-SP	i9LGMH1500CL-SP	i9LBBH1500CL-SP	i9LBNH1500CL-SP	i9LBZH1500CL-SP
1500mm Hinge & Inline Door – Right Hand	1455-1490mm	600mm	i9LSH1500CR-SP	i9LBKH1500CR-SP	i9LGMH1500CR-SP	i9LBBH1500CR-SP	i9LBNH1500CR-SP	i9LBZH1500CR-SP
1600mm Hinge & Inline Door – Left Hand	1555-1590mm	700mm	i9LSH1600CL-SP	i9LBKH1600CL-SP	i9LGMH1600CL-SP	i9LBBH1600CL-SP	i9LBNH1600CL-SP	i9LBZH1600CL-SP
1600mm Hinge & Inline Door – Right Hand	1555-1590mm	700mm	i9LSH1600CR-SP	i9LBKH1600CR-SP	i9LGMH1600CR-SP	i9LBBH1600CR-SP	i9LBNH1600CR-SP	i9LBZH1600CR-SP
1700mm Hinge & Inline Door – Left Hand	1655-1690mm	700mm	i9LSH1700CL-SP	i9LBKH1700CL-SP	i9LGMH1700CL-SP	i9LBBH1700CL-SP	i9LBNH1700CL-SP	i9LBZH1700CL-SP
1700mm Hinge & Inline Door – Right Hand	1655-1690mm	700mm	i9LSH1700CR-SP	i9LBKH1700CR-SP	i9LGMH1700CR-SP	i9LBBH1700CR-SP	i9LBNH1700CR-SP	i9LBZH1700CR-SP

**i9 DEDICATED SIDE PANEL for HINGE & INLINE DOOR**

Product Description	Adjustments	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
700mm Side Panel – Left Hand	655-690mm	i9SSH700CL	i9SBKH700CL	i9SGMH700CL	i9SBBH700CL	i9SBNH700CL	i9SBZH700CL
700mm Side Panel – Right Hand	655-690mm	i9SSH700CR	i9SBKH700CR	i9SGMH700CR	i9SBBH700CR	i9SBNH700CR	i9SBZH700CR
760mm Side Panel – Left Hand	725-750mm	i9SSH760CL	i9SBKH760CL	i9SGMH760CL	i9SBBH760CL	i9SBNH760CL	i9SBZH760CL
760mm Side Panel – Right Hand	725-750mm	i9SSH760CR	i9SBKH760CR	i9SGMH760CR	i9SBBH760CR	i9SBNH760CR	i9SBZH760CR
800mm Side Panel – Left Hand	765-790mm	i9SSH800CL	i9SBKH800CL	i9SGMH800CL	i9SBBH800CL	i9SBNH800CL	i9SBZH800CL
800mm Side Panel – Right Hand	765-790mm	i9SSH800CR	i9SBKH800CR	i9SGMH800CR	i9SBBH800CR	i9SBNH800CR	i9SBZH800CR
900mm Side Panel – Left Hand	865-890mm	i9SSH900CL	i9SBKH900CL	i9SGMH900CL	i9SBBH900CL	i9SBNH900CL	i9SBZH900CL
900mm Side Panel – Right Hand	865-890mm	i9SSH900CR	i9SBKH900CR	i9SGMH900CR	i9SBBH900CR	i9SBNH900CR	i9SBZH900CR
1000mm Side Panel – Left Hand	965-990mm	i9SSH1000CL	i9SBKH1000CL	i9SGMH1000CL	i9SBBH1000CL	i9SBNH1000CL	i9SBZH1000CL
1000mm Side Panel – Right Hand	965-990mm	i9SSH1000CR	i9SBKH1000CR	i9SGMH1000CR	i9SBBH1000CR	i9SBNH1000CR	i9SBZH1000CR

### 19 ONE DOOR HINGED QUADRANT

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm 1 Door Hinged Quadrant – Left hand	770-790mm	530mm	i9QSH800CL	i9QBKH800CL	i9QGMH800CL	i9QBBH800CL	i9QBNH800CL	i9QBZH800CL
800mm 1 Door Hinged Quadrant – Right Hand	770-790mm	530mm	i9QSH800CR	i9QBKH800CR	i9QGMH800CR	i9QBBH800CR	i9QBNH800CR	i9QBZH800CR
900mm 1 Door Hinged Quadrant – Left Hand	870-890mm	530mm	i9QSH900CL	i9QBKH900CL	i9QGMH900CL	i9QBBH900CL	i9QBNH900CR	i9QBZH900CL
900mm 1 Door Hinged Quadrant – Right Hand	870-890mm	530mm	i9QSH900CR	i9QBKH900CR	i9QGMH900CR	i9QBBH900CR	i9QBNH900CL	i9QBZH900CR
1000mm 1 Door Hinged Quadrant – Left Hand	970-990mm	530mm	i9QSH1000CL	i9QBKH1000CL	i9QGMH1000CL	i9QBBH1000CL	i9QBNH1000CL	i9QBZH1000CL
1000mm 1 Door Hinged Quadrant – Right Hand	970-990mm	530mm	i9QSH1000CR	i9QBKH1000CR	i9QGMH1000CR	i9QBBH1000CR	i9QBNH1000CR	i9QBZH1000CR

### 19 ONE DOOR OFFSET HINGED QUADRANT

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800x900mm 1 Door Offset Hinged Quadrant – Left Hand	770-790/870-890mm	530mm	i9QSH890CL	i9QBKH890CL	i9QGMH890CL	i9QBBH890CL	i9QBNH890CL	i9QBZH890CL
800x900mm 1 Door Offset Hinged Quadrant – Right Hand	770-790/870-890mm	530mm	i9QSH890CR	i9QBKH890CR	i9QGMH890CR	i9QBBH890CR	i9QBNH890CR	i9QBZH890CR
800x1000mm 1 Door Offset Hinged Quadrant – Left Hand	770-790/970-990mm	530mm	i9QSH810CL	i9QBKH810CL	i9QGMH810CL	i9QBBH810CL	i9QBNH810CL	i9QBZH810CL
800x1000mm 1 Door Offset Hinged Quadrant – Right Hand	770-790/970-990mm	530mm	i9QSH810CR	i9QBKH810CR	i9QGMH810CR	i9QBBH810CR	i9QBNH810CR	i9QBZH810CR
800x200mm 1 Door Offset Hinged Quadrant – Left Hand	770-790/1170-1190mm	530mm	i9QSH812CL	i9QBKH812CL	i9QGMH812CL	i9QBBH812CL	i9QBNH812CL	i9QBZH812CL
800x200mm 1 Door Offset Hinged Quadrant – Right Hand	770-790/1170-1190mm	530mm	i9QSH812CR	i9QBKH812CR	i9QGMH812CR	i9QBBH812CR	i9QBNH812CR	i9QBZH812CR
900x200mm 1 Door Offset Hinged Quadrant – Left Hand	870-890/1170-1190mm	530mm	i9QSH912CL	i9QBKH912CL	i9QGMH912CL	i9QBBH912CL	i9QBNH912CL	i9QBZH912CL
900x200mm 1 Door Offset Hinged Quadrant – Right Hand	870-890/1170-1190mm	530mm	i9QSH912CR	i9QBKH912CR	i9QGMH912CR	i9QBBH912CR	i9QBNH912CR	i9QBZH912CR

### 19 TWO DOOR SLIDING QUADRANT

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm 2 Door Sliding Quadrant	770-790mm	400mm	i9QS800C	i9QBK800C	i9QGM800C	i9QBB800C	i9QBN800C	i9QBZ800C
900mm 2 Door Sliding Quadrant	870-890mm	560mm	i9QS900C	i9QBK900C	i9QGM900C	i9QBB900C	i9QBN900C	i9QBZ900C
1000mm 2 Door Sliding Quadrant	970-990mm	560mm	i9QS1000C	i9QBK1000C	i9QGM1000C	i9QBB1000C	i9QBN1000C	i9QBZ100C

### 19 TWO DOOR OFFSET SLIDING QUADRANT

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800x900mm 2 Door Offset Sliding Quadrant	770-790/870-890mm	490mm	i9QS890C	i9QBK890C	i9QGM890C	i9QBB890C	i9QBN890C	i9QBZ890C
800x1000mm 2 Door Offset Sliding Quadrant	770-790/970-990mm	490mm	i9QS810C	i9QBK810C	i9QGM810C	i9QBB810C	i9QBN810C	i9QBZ810C
800x1100mm 2 Door Offset Sliding Quadrant	770-790/1070-1090mm	490mm	i9QS811C	i9QBK811C	i9QGM811C	i9QBB811C	i9QBN811C	i9QBZ811C
800x1200mm 2 Door Offset Sliding Quadrant	770-790/1170-1190mm	490mm	i9QS812C	i9QBK812C	i9QGM812C	i9QBB812C	i9QBN812C	i9QBZ812C
900x1000mm 2 Door Offset Sliding Quadrant	870-890/970-990mm	560mm	i9QS910C	i9QBK910C	i9QGM910C	i9QBB910C	i9QBN910C	i9QBZ910C
900x1100mm 2 Door Offset Sliding Quadrant	870-890/1170-1190mm	560mm	i9QS911C	i9QBK911C	i9QGM911C	i9QBB911C	i9QBN911C	i9QBZ911C
900x1200mm 2 Door Offset Sliding Quadrant	870-890/1170-1190mm	560mm	i9QS912C	i9QBK912C	i9QGM912C	i9QBB912C	i9QBN912C	i9QBZ912C

### i9 SLIDING DOOR (suits recess or side panel installation)

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
1000mm Sliding Door	950-990mm	400mm	i9JS1000C	i9JBK1000C	i9JGM1000C	i9JBB1000C	i9JBN1000C	i9JBZ1000C
1100mm Sliding Door	1050-1090mm	450mm	i9JS1100C	i9JBK1100C	i9JGM1100C	i9JBB1100C	i9JBN1100C	i9JBZ1100C
1200mm Sliding Door	1150-1190mm	490mm	i9JS1200C	i9JBK1200C	i9JGM1200C	i9JBB1200C	i9JBN1200C	i9JBZ1200C
1400mm Sliding Door	1350-1390mm	550mm	i9JS1400C	i9JBK1400C	i9JGM1400C	i9JBB1400C	i9JBN1400C	i9JBZ1400C
1500mm Sliding Door	1450-1490mm	570mm	i9JS1500C	i9JBK1500C	i9JGM1500C	i9JBB1500C	i9JBN1500C	i9JBZ1500C
1600mm Sliding Door	1550-1590mm	600mm	i9JS1600C	i9JBK1600C	i9JGM1600C	i9JBB1600C	i9JBN1600C	i9JBZ1600C
1700mm Sliding Door	1650-1690mm	650mm	i9JS1700C	i9JBK1700C	i9JGM1700C	i9JBB1700C	i9JBN1700C	i9JBZ1700C

### i9 INSWING DOOR (suits recess or side panel installation)

Product Description	Adjustments	Access	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm Inswing Door	750-790mm	560mm	i9IS800C	i9IBK800C	i9IGM800C	i9IBB800C	i9IBN800C	i9IBZ800C
900mm Inswing Door	850-890mm	660mm	i9IS900C	i9IBK900C	i9IGM900C	i9IBB900C	i9IBN900C	i9IBZ900C
1000mm Inswing Door	950-990mm	760mm	i9IS1000C	i9IBK1000C	i9IGM1000C	i9IBB1000C	i9IBN1000C	i9IBZ1000C

### i9 SIDE PANEL (to suit Sliding Door & Inswing Door only)

Product Description	Adjustments	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
700mm Side Panel	670-690mm	i9SS700C	i9SBK700C	i9SGM700C	i9SBB700C	i9SBN700C	i9SBZ700C
760mm Side Panel	730-750mm	i9SS760C	i9SBK760C	i9SGM760C	i9SBB760C	i9SBN760C	i9SBZ760C
800mm Side Panel	770-790mm	i9SS800C	i9SBK800C	i9SGM800C	i9SBB800C	i9SBN800C	i9SBZ800C
900mm Side Panel	870-890mm	i9SS900C	i9SBK900C	i9SGM900C	i9SBB900C	i9SBN900C	i9SBZ900C
1000mm Side Panel	970-990mm	i9SS1000C	i9SBK1000C	i9SGM1000C	i9SBB1000C	i9SBN1000C	i9SBZ1000C
1100mm Side Panel	1070-1090mm	i9SS1100C	i9SBK1100C	i9SGM1100C	i9SBB1100C	i9SBN1100C	i9SBZ1100C
1200mm Side Panel	1170-1190mm	i9SS1200C	i9SBK1200C	i9SGM1200C	i9SBB1200C	i9SBN1200C	i9SBZ1200C

# i10 i9 i8 WETROOM SHOWER SCREENS

## TECHNICAL SPECIFICATION & PRODUCT CODES

### i10 WETROOM SHOWER SCREEN



Product Description	Adjustment	Chrome
700mm Wetroom Screen	680-690mm	i10SW700C
800mm Wetroom Screen	780-790mm	i10SW800C
900mm Wetroom Screen	880-890mm	i10SW900C
1000mm Wetroom Screen	980-990mm	i10SW1000C
1100mm Wetroom Screen	1080-1090mm	i10SW1100C
1200mm Wetroom Screen	1180-1190mm	i10SW1200C
1400mm Wetroom Screen	1380-1390mm	i10SW1400C



i9 wetroom with hinged flipper panel in black

### i9 WETROOM SCREEN WITH 300mm HINGED FLIPPER PANEL



Product Description	Sizing	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm Wetroom with 300mm Hinged Flipper Panel	800+300mm	i9SW800CHF	i9SW800CHF-BK	i9SW800CHF-GM	i9SW800CHF-BB	i9SW800CHF-BN	i9SW800CHF-BZ
900mm Wetroom with 300mm Hinged Flipper Panel	900+300mm	i9SW900CHF	i9SW900CHF-BK	i9SW900CHF-GM	i9SW900CHF-BB	i9SW900CHF-BN	i9SW900CHF-BZ
1000mm Wetroom with 300mm Hinged Flipper Panel	1000+300mm	i9SW1000CHF	i9SW1000CHF-BK	i9SW1000CHF-GM	i9SW1000CHF-BB	i9SW1000CHF-BN	i9SW1000CHF-BZ
1100mm Wetroom with 300mm Hinged Flipper Panel	1100+300mm	i9SW1100CHF	i9SW1100CHF-BK	i9SW1100CHF-GM	i9SW1100CHF-BB	i9SW1100CHF-BN	i9SW1100CHF-BZ
1200mm Wetroom with 300mm Hinged Flipper Panel	1200+300mm	i9SW1200CHF	i9SW1200CHF-BK	i9SW1200CHF-GM	i9SW1200CHF-BB	i9SW1200CHF-BN	i9SW1200CHF-BZ
1400mm Wetroom with 300mm Hinged Flipper Panel	1400+300mm	i9SW1400CHF	i9SW1400CHF-BK	i9SW1400CHF-GM	i9SW1400CHF-BB	i9SW1400CHF-BN	i9SW1400CHF-BZ

### i8 WETROOM SHOWER SCREEN



Product Description	Adjustment	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
600mm Wetroom Shower Screen	580-890mm	i8SW600C	i8SW600C-BK	i8SW600C-GM	i8SW600C-BB	i8SW600C-BN	i8SW600C-BZ
700mm Wetroom Shower Screen	680-690mm	i8SW700C	i8SW700C-BK	i8SW700C-GM	i8SW700C-BB	i8SW700C-BN	i8SW700C-BZ
800mm Wetroom Shower Screen	780-790mm	i8SW800C	i8SW800C-BK	i8SW800C-GM	i8SW800C-BB	i8SW800C-BN	i8SW800C-BZ
900mm Wetroom Shower Screen	880-890mm	i8SW900C	i8SW900C-BK	i8SW900C-GM	i8SW900C-BB	i8SW900C-BN	i8SW900C-BZ
1000mm Wetroom Shower Screen	980-990mm	i8SW1000C	i8SW1000C-BK	i8SW1000C-GM	i8SW1000C-BB	i8SW1000C-BN	i8SW1000C-BZ
1100mm Wetroom Shower Screen	1080-1090mm	i8SW1100C	i8SW1100C-BK	i8SW1100C-GM	i8SW1100C-BB	i8SW1100C-BN	i8SW1100C-BZ
1200mm Wetroom Shower Screen	1180-1190mm	i8SW1200C	i8SW1200C-BK	i8SW1200C-GM	i8SW1200C-BB	i8SW1200C-BN	i8SW1200C-BZ
1400mm Wetroom Shower Screen	1380-1390mm	i8SW1400C	i8SW1400C-BK	i8SW1400C-GM	i8SW1400C-BB	i8SW1400C-BN	i8SW1400C-BZ

### i8 STANDARD FLIPPER PANEL



Product Description	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
300mm Flipper Return Panel	i8SW300CF	i8SW300CF-BK	i8SW300CF-GM	i8SW300CF-BB	i8SW300CF-BN	i8SW300CF-BZ
400mm Flipper Return Panel	i8SW400CF	i8SW400CF-BK	i8SW400CF-GM	i8SW400CF-BB	i8SW400CF-BN	i8SW400CF-BZ
600mm Flipper Return Panel	i8SW600CF	i8SW600CF-BK	i8SW600CF-GM	i8SW600CF-BB	i8SW600CF-BN	i8SW600CF-BZ

### i8 WETROOM SCREEN – FLUTED GLASS



Product Description	Adjustment	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm Fluted Glass Wetroom Screen	780-790mm	i8SW800FL	i8SW800FL-BK	i8SW800FL-GM	i8SW800FL-BB	i8SW800FL-BN	i8SW800FL-BZ
900mm Fluted Glass Wetroom Screen	880-890mm	i8SW900FL	i8SW900FL-BK	i8SW900FL-GM	i8SW900FL-BB	i8SW900FL-BN	i8SW900FL-BZ
1000mm Fluted Glass Wetroom Screen	980-990mm	i8SW1000FL	i8SW1000FL-BK	i8SW1000FL-GM	i8SW1000FL-BB	i8SW1000FL-BN	i8SW1000FL-BZ
1200mm Fluted Glass Wetroom Screen	1180-1090mm	i8SW1200FL	i8SW1200FL-BK	i8SW1200FL-GM	i8SW1200FL-BB	i8SW1200FL-BN	i8SW1200FL-BZ
1400mm Fluted Glass Wetroom Screen	1380-1390mm	i8SW1400FL	i8SW1400FL-BK	i8SW1400FL-GM	i8SW1400FL-BB	i8SW1400FL-BN	i8SW1400FL-BZ

### i8 WETROOM SCREEN – FROSTED GLASS



Product Description	Adjustment	Chrome	Black	Gunmetal	Brushed Brass	Brushed Nickel	Brushed Bronze
800mm Frosted Glass Wetroom Screen	780-790mm	i8SW800FT	i8SW800FT-BK	i8SW800FT-GM	i8SW800FT-BB	i8SW800FT-BN	i8SW800FT-BZ
900mm Frosted Glass Wetroom Screen	880-890mm	i8SW900FT	i8SW900FT-BK	i8SW900FT-GM	i8SW900FT-BB	i8SW900FT-BN	i8SW900FT-BZ
1000mm Frosted Glass Wetroom Screen	980-990mm	i8SW1000FT	i8SW1000FT-BK	i8SW1000FT-GM	i8SW1000FT-BB	i8SW1000FT-BN	i8SW1000FT-BZ
1100mm Frosted Glass Wetroom Screen	1080-1090mm	i8SW1100FT	i8SW1100FT-BK	i8SW1100FT-GM	i8SW1100FT-BB	i8SW1100FT-BN	i8SW1100FT-BZ
1200mm Frosted Glass Wetroom Screen	1180-1190mm	i8SW1200FT	i8SW1200FT-BK	i8SW1200FT-GM	i8SW1200FT-BB	i8SW1200FT-BN	i8SW1200FT-BZ
1400mm Frosted Glass Wetroom Screen	1380-1390mm	i8SW1400FT	i8SW1400FT-BK	i8SW1400FT-GM	i8SW1400FT-BB	i8SW1400FT-BN	i8SW1400FT-BZ

### i8 CRITTAL STYLE BLACK WETROOM SCREEN



Product Description	Adjustment	Black
600mm Crittal Black Wetroom	580-590mm	i8SW600P-BK
700mm Crittal Black Wetroom	680-690mm	i8SW700P-BK
800mm Crittal Black Wetroom	780-790mm	i8SW800P-BK
900mm Crittal Black Wetroom	880-890mm	i8SW900P-BK
1000mm Crittal Black Wetroom	980-990mm	i8SW1000P-BK
1200mm Crittal Black Wetroom	1180-1190mm	i8SW1200P-BK
1400mm Crittal Black Wetroom	1380-1390mm	i8SW1400P-BK

### i8 GOLD GLASS WETROOM SCREEN



Product Description	Adjustment	Brushed Brass
900mm Gold Glass Screen	880-890mm	i8SW900G-BB
1000mm Gold Glass Screen	980-990mm	i8SW1000G-BB
1200mm Gold Glass Screen	1080-1090mm	i8SW1200G-BB

## iMAGE BESPOKE

Image Showers are experts in the design and manufacture of bespoke showering solutions, created precisely to client specification. Our in-house manufacturing team have decades of specialist knowledge in crafting made to measure solutions for more unusual shower design requirements. Image products are of enduring quality and built from the finest raw materials at our production facility in Kilkenny, Ireland. A lifetime guarantee extends across our products, with spare parts readily available for ultimate peace of mind\*.

**Image is the bespoke shower door specialist – we are the preferred supplier for many prestigious hotel & commercial projects nationwide. Our expert design, measurement and installation service is trusted within the industry.**

Image offer a complete end-to-end service - from initial site visit, design concept development, to product manufacture, through to installation and after-sales maintenance.



**FROM CONCEPT TO COMPLETION,  
WE'RE THERE**



Liss Ard Estate, West Cork

iMAGE  
SHOWERS

PROUDLY IRISH,  
PERFECTLY BESPOKE

To arrange a free design consultation contact:  
[bespoke@imageshowers.com](mailto:bespoke@imageshowers.com) | 056 7723374

[imageshowers.com](http://imageshowers.com)

# INFORMATION & MAINTENANCE

## PRODUCT

All products are manufactured in accordance with ISO 9001 and EN 14428 and utilise toughened safety glass to EN12150-1 class A standard. Aluminium sections are extruded to BS 1474 from alloys complying with BS 6463 and coated to BS 6464. Doors and enclosures have been tested in accordance with EN 14428 and are suitable for use with modern power showers. The position of all shower valves in the brochure are for illustrative purposes only.

## CE AND EN INFORMATION

The CE marking on The Company's products is a declaration that the product complies with the essential requirements of the European health, safety and environmental protection legislation.

The CE marking on a product indicates to government officials that the product may be legally placed on the market in their country. This ensures the free movement of the product within EFTA and the European Union single market and permits the withdrawal of the non conforming products by customs and enforcement authorities.

The European Union's "new approach directives" are mandatory on all member countries to enact through national legislation. This legislation requires manufacturers to display a CE marking on their product, packaging and accompanying literature. Where a new approach directive is in force, it is (with few exceptions) an offence to place a product on the market without a CE marking.

Often consumers will consider CE marking on a product as an indication of conformance to laid down minimum standards and therefore, a minimum level of safety which other products may lack. CE marking is for many consumers a "Symbol of Safety"

## DELIVERIES

Deliveries should be inspected immediately after receipt and any discrepancies should be notified within 7 days. Notifications received after this period will not be accepted.

Goods supplied are subject to carriage charge\* ask The company for details\*. Lead time direct to a reseller is 3 working days.

## CLEANING

It is important to clean your shower door and tray after every use. Here is what we recommend:

- Wipe down all the glass and metal parts with a soft cloth.
- Do not allow lime scale to build up in hard water areas.
- Ensure that any residual water on the glass is removed after every use.
- Clean the glass regularly with soapy water.
- Do not use any abrasive products on any surfaces.
- Install enclosures in a well ventilated area.
- Always read the instructions on the packaging.

Bathroom products are vulnerable to acid attack and some strong household cleaners including strong disinfectants, denture cleaners, hair dyes, wine making chemicals and photographic chemicals may contain acid. These materials may have a varying effect on the surface, from black spots/streaks (which cannot be removed) to pitting the surface. Contact with these materials should be avoided.

## SHOWER ENCLOSURE ADJUSTMENT

This is the min and max adjustment of the actual enclosure. These are the adjustment dimensions of the actual door excluding the tray. Therefore, these are the dimensions to follow when installing an enclosure in a wet room application without a tray.

The guide below may be helpful in taking measurements to determine the shower door or enclosure size required. Dimensions given in this publication are in millimetres, are approximate and may vary with adjustment. They are subject to change without notice.

Please note that when a tray is fitted, it is essential that the tray is level before any doors or enclosures are fitted. Uneven trays may lead to leakages and would invalidate our guarantee.

## BATH SCREEN INFORMATION

Bath Screens are not designed to fit on baths with stepped fronts, roll top rims, or integral soap dishes. Fitting of Screens on baths which have raised head rests or shapes, is not recommended.

There must be no items causing obstruction with the seal and bath, as any of the above may cause leaks. When choosing your Bath Screen, please ensure that if your bath has bath handles, that they do not interfere with the bath rim area where your Screen will be placed.

When choosing an in-swing or folding Bath Screen please ensure that your swing area is not interfering with any brassware or internal shower features. Similarly, when choosing an out-swing, please ensure that the out-swing area is free from any obstructions.

## IMPORTANT SHOWER TRAY INFORMATION

Although shower door and enclosure sizes are related to tray sizes, it is important to note that most shower trays are tiled down to the rim, often over an "up-stand". The finished installation space may be less than the nominal tray size. Shower units are made to suit this remaining space.

## TRAY FINISH MIN – MAX

The tray finish applies when fitting a door and a tray. These are the minimum and maximum dimensions that a shower door or enclosure will fit using standard wall profiles.

To find the correct tray finish dimension:

- In a recess: measure from the finished, tiled wall to the opposite finished, tiled wall.
- In a corner: measure from the finished, tiled wall to the edge of the tray.

**Note:** If the wall/walls are leaning in, this will further reduce your tray finish.

Please ensure that the size of shower tray is as per your order before installation. You must inspect the product thoroughly before installation. Fitting the product is acceptance of quality. Tray heights may vary due to manufacturing tolerances.

Where your shower tray is not fully enclosed, please ensure that your panel is at least ¾ of the length of your tray size. Please ensure that the shower head is not positioned over the waste as this may restrict flow rate.

## RETURNS

No return of goods will be accepted by The Company without prior authorisation and compliance with our returns procedure.

In the event that the customer returns any goods which are not defective, such goods will be accepted by The Company only if they are returned to The Company in an undamaged, resalable condition, which requires that the goods are unused and contained within their original, unopened and undamaged packaging.

In the event that the customer wishes to return non-defective goods to The Company following the expiry of the 21 day period, The Company will have absolute sole discretion as to whether it shall offer a refund to the customer in respect of such goods.

In relation to any returns made, The Company will deduct 40% of the price paid for the relevant goods and The Company will deduct a discretionary restocking fee (which may exceed 40% of the price paid for the relevant goods) plus the cost of carriage, from the sums refunded to the customer, in order to cover The Company's administration and restocking costs.

The company will not accept any return of (or issue any refund or credit in respect of) non-faulty goods more than 30 days following the delivery date.

If a return of goods has been agreed by The Company, it will arrange a collection date with its courier. If The Company or its courier is unable to collect the goods on the date proposed by the courier due to any act or omission by the customer, then an administration fee will be payable by the customer (which The Company may deduct from any sums refunded to the customer).



## GENERAL

All products are supplied complete with full installation instructions and the necessary fixings. Check with your dealer for accurate matching of material samples. Product descriptions do not imply the use of precious or valuable materials.

Our policy of reviewing product design and development on a regular basis means The Company reserve the right to change product specifications and prices without notice.

Glass shattering and parts subject to wear are not covered by the lifetime guarantee.

Trays shown in this catalogue are for illustrative purposes only.

Images are for illustrative purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads in the brochure is for illustrative purposes only. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon The Company.

Prices are correct at the time of print with the rate of VAT which applies at the time. Due to circumstances beyond our control, prices may be altered including changes to the rate of VAT.

Due to our policy of continuous improvement, we reserve the right to amend prices, specifications and designs without prior notice. Images are for illustrative purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

## LIABILITY

In the event of any breach of The Company's obligations, the remedies of the customer will be limited through damages.

Except as set out in these conditions, all warranties, conditions and other terms implied by law (whether by statute, common law or otherwise), are to the fullest extent permitted by the law, excluded from the contract.

The Company's maximum aggregate liability arising out of or in connection with a contract, whether in a contract, tort, misrepresentation under statute or otherwise, howsoever caused including any liability under an indemnity contained in the contract and/or arising from a breach of, or a failure to perform or defect or delay in performance of, any of The Company's obligations under the contract and/or any defect in any of the goods supplied under the contract and/or any use made or resale of any such goods by the customer or of any product incorporating any of such goods shall be limited to the aggregate price paid or payable under the contract.

The company shall not have any liability to the customer for any loss of profit (direct or indirect); loss of revenue, loss of production or loss of business (in each case whether direct or indirect); loss of goodwill, loss of reputation or loss of opportunity ( in each case whether direct or indirect); loss of anticipated saving or loss of margin(whether direct or indirect); liability of the customer to third parties (whether direct or indirect); consequential or special loss arising out of or in connection with the contract, whether in contract, tort or misrepresentation under the statute or otherwise, howsoever caused including by negligence and/or arising from a breach of, or a failure to perform or detect or delay in performance of, any of The Company's obligations under the contract.

Nothing in the contract shall operate to exclude or restrict The Company's liability (if any) to the customer for breach of its obligations arising under section 12 of the Sale of Goods Act 1979; for breach of its obligations arising under section 2 of the Supply of Goods and Services Act 1982; for death or personal injury resulting from its negligence; for its fraud or fraudulent misrepresentation; or for any matter for which it is not permitted by the law to exclude or limit, or to attempt to exclude or limit, its liability.



i9 Offset Sliding Quadrant  
in Brushed Brass

## SUSTAINABILITY COMMITMENT

Image Showers care about the impact our business makes on our environment. We are focused on sustainable operations and place great value on the wellbeing of our team, clients and community.

Our factory is powered by solar panels, with LED lighting upgrades completed in 2023. Thanks to our in-house production capability and spare parts department, there is reduced wastage of raw materials and products within our product pipeline. We segregate our waste on-site.

We have developed our packaging to reduce the use of polystyrene and increase its recyclability.

Since 2025, our marketing materials are developed in conjunction with a leading eco-friendly graphic design studio and printers.



This brochure was designed with green energy, and it is printed on FSC® Certified and Carbon Balanced paper.



## QUALITY GUARANTEED

Image products are manufactured in accordance with ISO 9001 and EN 14428 and utilise toughened safety glass to EN12150-1 class A standard.

Aluminium sections are extruded to BS 1474 from alloys complying with BS 6463 and coated to BS 6464. Doors and enclosures have been tested in accordance with EN 14428.

The CE marking is a declaration that the product complies with the essential requirements of the European health, safety and environmental protection legislation.



# IMAGE

SHOWERS

i9

Purcellsinch Industrial  
Estate, Dublin Rd,  
Purcellsinch, Co Kilkenny  
R95 DT73

+353 (0)56 7723374  
info@imageshowers.com



@imageshowers

imageshowers.com

